NedZink

Prepatinated titanium zinc with motif

NedZink NOVA STRUCTURE




Product description:

NedZink NOVA STRUCTURE is titanium zinc with motif available in different patterns. 'NedZink NOVA' as basic material is titanium zinc according to NEN-EN 988 that undergoes a patination process. This is an alloy based on electrolytically cleaned zinc with a purity of min. 99.995 % Zn (Z1 according to EN 1179) with small additions of the alloy elements copper, titanium and aluminium. The chemical composition, mechanical and physical properties and measurement tolerances are determined in the KOMO product certificate and the product certificate from Lloyd's Register, LRIQS (Approval QIS 122). The defined material properties are checked by an independent and neutral research institute at regular intervals. This product certification and the ISO 9001:2008 certificate for the quality management system at NedZink assure a constant and uniform high quality, meeting our own standards and far exceeding NEN-EN988. NedZink NOVA STRUCTURE is mainly used for visibly and aesthetically high quality applications outside including for roofs and façades, and inside for various design applications.

Surface structure:



NOVA STRUCTURE Amsterdam



NOVA STRUCTURE Brasilia







NOVA STRUCTURE Paris

Product range:

Sheets:	
Standard sizes	1,000 x 3,000 mm
Material thickness	0.80 mm
Packaging	on pallets of approx. 1,000 kg

Coils with NOVA STRUCTURE can be supplied for specific projects on the request of the client.

Guidelines

Transport and storage: NedZink products must always be stored and transported in a dry and ventilated environment. Surface: 'NedZink NOVA STRUCTURE' titanium zinc is subjected to a patination process with a surface structure. Rolling and smoothing with imprint rollers results in a surface treatment that provides NedZink NOVA with a surface structure on both the top side and bottom side of the material. The properties of zinc as a building material do not change.

Properties of the material: A continuous stamp is applied to the back of all products in accordance with the provisions of NEN-EN 988 with the markings:

- NedZink NTZ
- The name titanium zinc in 4 languages; Dutch, German, French and English
- Product standard EN988
- The nominal thickness
- Batch number
- Year of production
- Logos of KOMO and Lloyd's Register

For additional information about the product range and the processing of NedZink products see our website www.nedzink.com.

Build on NedZink

existing and new possibilities.

NedZink stimulates the achievement of durable and high quality construction projects with bright-rolled, prepatinated and textured zinc. As a trading partner NedZink ensures reliable

NedZink is also aware of its responsibility with regard to people and the environment. Future-oriented business management and investments in up-to-date production techniques reinforce its market position, and create room for new developments.

NedZink is part of the leading international holding company Koramic Investment Group. Belgium and Germany.

NedZink. Think Zink.

Registered trademarks NedZink NATUREL, NOVA, NOVA STRUCURE, NTZ are registered trademarks of NedZink B.V.

rochure was produced with the utmost care prmation specified in this brochure is accordin current knowledge, and gives information abou oducts and their uses. It is not, however, inten s a guarantee for certain properties of the pro

s or their suitability for an actual

Depyright The written permission of NedZink given beforehand for any use of this bro serving in an automatic file of g, saving in ar m whatsoever

THINK ZINK NedZink

Netherlands

Postbus 2135, NL-6020 AC Budel Hoofdstraat 1, NL-6024 AA Budel-Dorplein Tel: +31 (0)495-455700 E-mail: info@nedzink.com

Germany

Im Lipperfeld 21, D-46047 Oberhausen Tel: +49 (0) 208-85798-0 Fax: +49 (0) 208-8579830 E-mail: info@nedzink.de

Belgium

NedZink S.A. Avenue Jean Lenoir 14, B-1348 Ottignies (Louvain-la-Neuve) Fax. +32 (0)10-453362 E-Mail: info@nedzink.be



